

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	79	heat adj treat\$4 and rate adj equation\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:53
L2	20	l1 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:53
L11	16	l1 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:53
L12	1428	700/147,153,117,95.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:53
L13	37	l12 and heat adj treat\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:55
L14	7	l13 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:56
L15	502	148/112.ccls. or 75/10.21.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:55
L16	139	l15 and heat adj treat\$4	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:55
L17	57	l16 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:56
L18	54	l17 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 13:09
L19	0	l18 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 12:56
L20	1	"6571615".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 13:09
S1	4	"4358324".pn. or "5054314".pn. or "5108520".pn. or "5858134".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:10
S2	1	S1 and alloy and precipitate	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:32
S3	0	S2 and equation\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:32

S4	16558	yield adj strength or specific adj conductivity or corrosion adj property	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:33
S5	7162	S4 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:33
S6	2194	S5 and temperature and precipitat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:34
S7	7	S6 and rate adj equation\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S8	7450	canada.as.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S9	305	S8 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S10	2	S9 and equation and heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S11	202	"700"/\$.ccls. and heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S12	32	S11 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:38
S13	11	S12 and equation	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:49
S14	1928	heat adj treatment same precipitat\$4 same alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:49
S15	66	S14 and temperature same sens\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:50
S16	24	S15 and calculat\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:51
S17	17	S16 and "148"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:53
S18	913	S14 and precipitat\$4 same phase	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:53
S19	114	S14 and precipitat\$4 adj phase	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:53

S20	1	S19 and instantaneous adj temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:54
S21	30	S19 and yield adj strength	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:54
S22	29	S21 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:54
S23	29	S22 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:54
S24	4	S23 and (equation or model)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/01 16:54
S26	350	feedback and precipitation and alloy and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:12
S27	198	S26 and computer	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:12
S28	88	S27 and thermocouple	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:14
S29	67	S28 and controller	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:34
S30	52	S29 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:19
S31	52	S30 and composition	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:23
S32	51	S31 and aluminum	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:21
S33	36	S28 not S31	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:23
S34	110	S27 not S28	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:35
S35	43	S34 and threshold	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:41
S36	67	S34 not S35	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:42

S37	204	"700"/\$.ccls. and heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:44
S38	10	S37 and aluminum adj alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 13:42
S39	304	precipitation adj heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:51
S40	304	precipitation adj heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:52
S41	286	S40 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:52
S42	286	S41 not shell.as.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:52
S43	2	S42 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:52
S44	272	S41 not "435"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 15:53
S45	30	S41 and computer	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:09
S46	24	feedback adj controller and aluminum adj alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:12
S47	401	"148"/\$.ccls. and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:12
S48	100	S47 and heat adj treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:12
S49	95	S48 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:22
S50	13	S47 and aircraft	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:23
S51	176	148/511.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:28
S52	29	S51 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:28

S53	465	148/508,523,549.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:28
S54	25	S53 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:29
S55	17	S54 not S52	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:31
S56	161	148/112/121,559.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:31
S57	3	S56 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:32
S58	159	700/145,153,147.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:34
S59	28	S58 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:34
S60	4	S59 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:35
S61	1526	700/95,117,299.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:35
S62	7	S61 and feedback and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:37
S63	49	75/10.21.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:37
S64	0	S63 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:37
S65	12	(US-20030045963-\$).did. or (US-4358324-\$ or US-5108520-\$ or US-6197130-\$ or US-6350326-\$ or US-5985056-\$ or US-6331217-\$ or US-5650026-\$ or US-6423164-\$ or US-5846340-\$ or US-6432229-\$ or US-5423926-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/02 16:37
S66	8	S65 and precipit\$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:38
S67	8	S66 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:38

S68	5	S67 and (feedback or feed adj back)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 16:38
S69	5	S68 and alloy	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 17:56
S73	12	S65 and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 18:13
S74	3	S73 and sens\$3 same temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 18:31
S75	1	"5306359".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 18:48
S76	1	"5050232".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/02 18:48
S77	14	(US-20030045963-\$).did. or (US-4358324-\$ or US-5050232-\$ or US-5108520-\$ or US-5306359-\$ or US-5423926-\$ or US-5650026-\$ or US-5846340-\$ or US-5985056-\$ or US-6197130-\$ or US-6331217-\$ or US-6350326-\$ or US-6423164-\$ or US-6432229-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:42
S78	9	S77 and phase	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/03 11:07
S79	6	S78 and precipit\$5	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/03 11:08
S80	4	S79 and feedback	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/12/03 11:08
S81	14	(US-20030045963-\$).did. or (US-4358324-\$ or US-5050232-\$ or US-5108520-\$ or US-5306359-\$ or US-5423926-\$ or US-5650026-\$ or US-5846340-\$ or US-5985056-\$ or US-6197130-\$ or US-6331217-\$ or US-6350326-\$ or US-6423164-\$ or US-6432229-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:43
S82	6	S81 and chemical	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:43
S83	4	S81 and chemical same composition	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:44
S84	2	S83 and inert	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:46

S85	1110	heat adj treatment and aluminum adj alloy and inert adj gas	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:46
S86	139	S85 and chemical adj composition	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:47
S87	4	S86 and feedback	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:48
S88	8	S81 and gas	US-PGPUB; USPAT	OR	OFF	2004/12/03 13:48
S89	14	(US-20030045963-\$).did. or (US-4358324-\$ or US-5050232-\$ or US-5108520-\$ or US-5306359-\$ or US-5423926-\$ or US-5650026-\$ or US-5846340-\$ or US-5985056-\$ or US-6197130-\$ or US-6331217-\$ or US-6350326-\$ or US-6423164-\$ or US-6432229-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/03/23 11:05
S90	9	S89 and rate	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 11:05
S91	1	S89 and rate adj equation\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/23 11:05